

CONCRETOS

Concreto Denso

		TEMP. °C MÁXIMA DE SERVICIO	MATERIA PRIMA	CANTIDAD NECESARIA COLADO kg/m³	ALUMINA PROMEDIO%	SÍLICE PROMEDIO%
Evercast CC F33-5-MX (Comprit F33-5-M)	—▷	1,150°C	Porcelana	2,000	33.0	49.0
Evercast CC F41-5-MX (Comprit F41-5M)	—▷	1,300°C	Chamota, Porcelana	1,960	41.0	49.0
Evercast CC F59-5-MX (Comprit F55-5M)	—▷	1,350°C	Bauxita Chamota	2,100	59.0	33.0
Evercast CC F52-5-MX (Comprit F52-5-M)	—▷	1,350°C	Bauxita, Chamota, Porcelana	2,000	38.0	52.0
Evercast CC F50-5-MX (Comprit F50-5M)	—▷	1,370°C	Chamota	2,050	49.0	42.0
Evercast CC F50-6-MX (Comprit F48-19M/Comprit F45-6M)	—▷	1,370°C	Chamota	2,150	50.0	38.0
Evergun CC F48-5-MX (Comprit F48-G-5M/Comprit F38G-5-M)	—▷	1,380°C	Chamota	2,180	47.5	41.5
Evergun CC F50-5-MX (Comprit F50-G-5M)	—▷	1,450°C	Chamota	2,000	50.0	40.5
Evercast CC M60-5-MX (Comprit M60-5M)	—▷	1,500°C	Rica en mullita	2,170	61.0	30.0
Evercast CC B60-5-MX (Comprit B60-5M/Comprit B57-5-M)	—▷	1,600°C	Bauxita	2,340	62.0	32.0
Evergun CC M70-5-MX (Comprit M70G-5M)	—▷	1,600°C	Bauxita	2,300	70.0	23.0
Evercast CC B82-5-MX (Comprit B82-5M)	—▷	1,650°C	Bauxita	2,570	81.0	12.0
Evergun CC A94-3-MX (Comprit A94G-3-M)	—▷	1,740°C	Alumina sinterizada	2,550	93.0	1.4
Evercast CC A96M-1-MX (Comprit A96M-1-M)	—▷	1,760°C	Alumina sinterizada y calcinada, Cemento aluminoso	2,700	96.0	0.1
Evercast CC K96-8-MX (Comprit K96-8M)	—▷	1,780°C	Corindón marrón	2,860	93.0	1.0

Concreto
Refractario



Tel: +52 (33) 3619 3800/ 3619 6540/
3650 3557/ 3619 2592

Av. Washington 61, Col. Moderna. C.P. 44190.
Guadalajara, Jal. México.

 piro.mx  PIROGL  PIRO_GDL

CONCRETOS



PIRO

PIRO INTERNACIONAL S.A DE C.V.

Concreto Denso

Evercast CC K94-5-MX (Comprit K94-5M)	→	1,780°C	Alumina sinterizada, Corindón marrón	2,900	93.0	1.0
Evercast CC A94-4-MX (Comprit A94-4M)	→	1,800°C	Alumina sinterizada	2,720	95.0	0.3
Evercast CC A97-6-MX (Comprit A97-6-MX)	→	1,800°C	Alumina sinterizada	2,740	97.0	0.2

Tel: +52 (33) 3619 3800/ 3619 6540/
3650 3557/ 3619 2592

Av. Washington 61, Col. Moderna. C.P. 44190.
Guadalajara, Jal. México.

 piro.mx  PIROGL  PIRO_GDL

Concreto
Refractario




RHI MAGNESITA
Distribuidor Autorizado